

Lithium Battery Test Summary BR1225

Product: Energizer BR1225 Lithium Batteries

| | |
|---|---|
| Name of cell manufacturer | Energizer Brands, LLC |
| Cell manufacturer contact information | 8235 Forsyth Blvd, St. Louis, MO 63105 314-985-2000 E-mail: Enviro-Regulatory@Energizer.com www.energizer.com |
| Test laboratory contact information | Energizer 25225 Detroit Road, Westlake, OH 44145 1-800-383-7323 E-mail: Enviro-Regulatory@Energizer.com www.energizer.com |
| Test report identification number | BR1225:A:012018 BR1225:H:072019 |
| Date of test report | 9 July 2019 |
| Description of cell or battery | Battery type: Lithium Poly-Carbon Monofluoride Weight of battery: 0.8 g Lithium content: less than 0.3 g Battery description: BR1225 Lithium Coin Cell Model Number: BR1225 |
| Reference assembled battery testing requirements | N/A |



Energizer



Energizer hereby certifies that the BR1225 battery meets all the requirements outlined in the Manual of Tests and Criteria of the UN Recommendations on the Transport of Dangerous Goods, Part III, sub-section 38.3. The BR1225 battery passes all the T-test as described in the table below.

| Manual of Tests and Criteria (38.3 Rev. 6 Lithium batteries) | | Test Result |
|--|---------------------------------------|----------------|
| Number | Test | Pass |
| T1 | Altitude simulation | Pass |
| T2 | Thermal test | Pass |
| T3 | Vibration | Pass |
| T4 | Shock | Pass |
| T5 | External short circuit | Pass |
| T6 | Crush | Pass |
| T7 | Overcharge | Not applicable |
| T8 | Forced discharge | Pass |
| | | |
| -- | 1.2 Meter Drop Test (packaging test) | |
| | 2.5 kg maximum air shipment packaging | Pass |
| | Volume pack (< 30 kg) | Pass |



Jeremy Paul
 Sr. Manager, Regulatory
 7 April 2025

